

## Pre-Desk Study Assessment

<b>Site:</b>	Fasnakyle Substation, Inverness-shire, Scotland
<b>Client:</b>	AECOM
<b>Contact:</b>	Océane Mbaguta
<b>Date:</b>	20 <sup>th</sup> March 2024
<b>Pre-WWI Military Activity on or Affecting the Site</b>	None identified.
<b>WWI Military Activity on or Affecting the Site</b>	None identified.
<b>WWI Strategic Targets (within 5km of Site)</b>	The following strategic targets were located in the vicinity of the Site: <ul style="list-style-type: none"> <li>■ Transport infrastructure and public utilities.</li> </ul>
<b>WWI Bombing</b>	None identified on the Site.
<b>Interwar Military Activity on or Affecting the Site</b>	None identified.
<b>WWII Military Activity on or Affecting the Site</b>	During WWII, the Glenorrin military training area was established on land encompassing the Site.  1No. military camp was established on land at Cannich, approximately 0.3km northwest of the Site.
<b>WWII Strategic Targets (within 5km of Site)</b>	The following strategic targets were located in the vicinity of the Site: <ul style="list-style-type: none"> <li>■ Transport infrastructure and public utilities.</li> <li>■ Military barracks, camps, depots, and training areas.</li> </ul>
<b>WWII Bombing Decoys (within 5km of Site)</b>	None.
<b>WWII Bombing</b>	During WWII the Site was located in the Landward Area (LA) of Inverness-shire, which officially recorded 94No. High Explosive (HE) bombs with a bombing density of less than 0.1 bombs per 405 hectares (ha).  No readily available records have been found to indicate that the Site was bombed.
<b>Post-WWII Military Activity on or Affecting the Site</b>	None identified on the Site.  After WWII, the military camp at Cannich was repurposed for civilian accommodation.
<b>Recommendation</b>	It is recommended that a detailed desk study is commissioned to assess, and potentially zone, the Unexploded Ordnance (UXO) hazard level on the Site.
<b>Further information</b>	For information about Zetica's detailed UXO desk studies and other UXO services, please visit our website: <a href="http://www.zeticauxo.com">www.zeticauxo.com</a> .  Details and downloadable resources covering the most common sources of UXO hazard affecting sites in the UK can be found <a href="#">here</a> .  If you have any further queries, please don't hesitate to get in contact with us at <a href="mailto:uxo@zetica.com">uxo@zetica.com</a> or 01993 886 682.

This summary is based on a cursory review of readily available records. Caution is advised if you plan to action work based on this summary.

It should be noted that where a potentially significant source of UXO hazard has been identified on the Site, the requirement for a detailed desk study and risk assessment has been confirmed and no further research will be undertaken at this stage. It is possible that further in-depth research as part of a detailed UXO desk study and risk assessment may identify other potential sources of UXO hazard on the Site.