



- Emmock red line boundary
- - - LVIA study area boundary (3km buffer from red line boundary)
- Electrical layout and fence line
- - - Kintore to Tealing 400 kV OHL
- Emmock Tie-Ins**
- Diverted Alyth to Tealing OHL
- Diverted Westfield to Tealing OHL
- Emmock to Tealing Tie-Backs**
- Emmock to Tealing Tie-Back East
- Emmock to Tealing Tie-Back West
- Screening**
- Woodland (mixed mainly conifer, mixed mainly broadleaved, conifer, broadleaved, young trees)
- Building
- Zone of Theoretical Visibility (with bunding and screening included to 3km)**
- Theoretically more visible
- Theoretically less visible
- ∨ 53.5° Field of View
- ∨ 90° Field of View

The ZTV indicates the theoretical visibility of the proposed development (not including the OHL and tie-ins/tie-backs). The ground elevation of the fence line and electrical infrastructure is set to 139m with a height of 15.3m added to the electrical infrastructure, a height of 7.2m added to the control building and a height of 3.4m added to the fence line. Screening layers (up to 3km) include bunding, buildings set to 8m and national forest inventory categories mixed mainly conifer, mixed mainly broadleaved, conifer, broadleaved young trees set to 15m and 5m for young trees. A viewer height of 2m was used. The terrain model is based on Ordnance Survey Terrain 5 digital terrain model (DTM) data. Earth curvature and atmospheric refraction have been taken into account. The ZTV was calculated using ArcGIS Pro 3.3.1 software.

Maxar, Microsoft

Reproduced by permission of Ordnance Survey on behalf of HMSO. Crown copyright and database right 2024 all rights reserved. Ordnance Survey Licence number 0100022432.

Project No: LT486
Project: Emmock 400 kV Substation

Title:
Viewpoint VP04
Myreton of Claverhouse

Drawn by: IB Date: 06/11/2024

Figure: 7.8



Baseline photograph



OS reference:	339410 N 736748 E
AOD (Above Ordnance Datum):	124.02 m
Direction of view:	330°
Horizontal field of view:	90° (cylindrical projection)

Vertical field of view:	27°
Image Enlargement Factor:	96%
Paper size:	841 x 297 mm (half A1)
Correct printed image size:	820 x 250 mm

Camera:	NIKON D750
Lens:	Nikkor AF 50mm f/1.8D
Camera height:	1.5 m (above AOD)
Date and time:	20/06/2024 15:43

Data Sources:	Topography to inform AOD heights: 50cm National DTM (2020), Environment Agency. 3D model informed by Site option layouts and development height parameters provided by Omexon in Revit (.rvt) format on 20/05/24.
---------------	--



Extent of proposed substation

Visualisation showing proposed mitigation planting at year 0



OS reference: 339410 N 736748 E
 AOD (Above Ordnance Datum): 124.02 m
 Direction of view: 330°
 Horizontal field of view: 90° (cylindrical projection)

Vertical field of view: 27°
 Image Enlargement Factor: 96%
 Paper size: 841 x 297 mm (half A1)
 Correct printed image size: 820 x 250 mm

Camera: NIKON D750
 Lens: Nikkor AF 50mm f/1.8D
 Camera height: 1.5 m (above AOD)
 Date and time: 20/06/2024 15:43

Data Sources:
 Topography to inform AOD heights: 50cm National DTM (2020), Environment Agency.
 3D model informed by Site option layouts and development height parameters provided by Omexon in Revit (.rvt) format on 20/05/24.



Visualisation showing proposed mitigation planting at year 0



OS reference:	339410 N 736748 E
AOD (Above Ordnance Datum):	124.02 m
Direction of view:	330°
Horizontal field of view:	53.5° (planar projection)

Vertical field of view:	18.2°
Image Enlargement Factor:	150%
Paper size:	841 x 297 mm (half A1)
Correct printed image size:	820 x 260 mm

Camera:	NIKON D750
Lens:	Nikkor AF 50mm f/1.8D
Camera height:	1.5 m (above AOD)
Date and time:	20/06/2024 15:43

Data Sources:	Topography to inform AOD heights: 50cm National DTM (2020), Environment Agency. 3D model informed by Site option layouts and development height parameters provided by Omexon in Revit (.rvt) format on 20/05/24.
---------------	--



Extent of proposed substation

Visualisation showing proposed mitigation planting at year 10



OS reference: 339410 N 736748 E
 AOD (Above Ordnance Datum): 124.02 m
 Direction of view: 330°
 Horizontal field of view: 90° (cylindrical projection)

Vertical field of view: 27°
 Image Enlargement Factor: 96%
 Paper size: 841 x 297 mm (half A1)
 Correct printed image size: 820 x 250 mm

Camera: NIKON D750
 Lens: Nikkor AF 50mm f/1.8D
 Camera height: 1.5 m (above AOD)
 Date and time: 20/06/2024 15:43

Data Sources:
 Topography to inform AOD heights: 50cm National DTM (2020), Environment Agency.
 3D model informed by Site option layouts and development height parameters provided by Omexon in Revit (.rvt) format on 20/05/24.



Visualisation showing proposed mitigation planting at year 10



Extent of proposed substation

Visualisation showing proposed cumulative OHL with mitigation planting at year 0



OS reference: 339410 N 736748 E
 AOD (Above Ordnance Datum): 124.02 m
 Direction of view: 330°
 Horizontal field of view: 90° (cylindrical projection)

Vertical field of view: 27°
 Image Enlargement Factor: 96%
 Paper size: 841 x 297 mm (half A1)
 Correct printed image size: 820 x 250 mm

Camera: NIKON D750
 Lens: Nikkor AF 50mm f/1.8D
 Camera height: 1.5 m (above AOD)
 Date and time: 20/06/2024 15:43

Data Sources:
 Topography to inform AOD heights: 50cm National DTM (2020), Environment Agency.
 3D model informed by Site option layouts and development height parameters provided by Omexon in Revit (.rvt) format on 20/05/24.

- Diverted Alyth to Tealing OHL
- Diverted Westfield to Tealing OHL
- Proposed new 400KV to Hurlie / Kintore
- Emmock to Tealing tie-back West
- Emmock to Tealing tie-back East